
1-2355827-0 - ACTIVE

Mezalok HSLF

TE Internal #: 1-2355827-0 PCB Mount Receptacle, Vertical, Board-to-Board, 320 Position, 1.27 mm [.05 in] Centerline, Gold, Surface Mount - Solder Ball, Signal, Mezalok HSLF

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles



PCB Connector Assembly Type: PCB Mount Receptacle

PCB Mount Orientation: Vertical

Connector System: Board-to-Board

Number of Positions: 320

Number of Rows: 8

Features

Product Type Features

PCB Connector Assembly Type

Connector System

PCB Mount Receptacle

Board-to-Board



Circuit Board
θ μin]
2(

C For support call+1 800 522 6752

1-2355827-0

PCB Mount Receptacle, Vertical, Board-to-Board, 320 Position, 1.27 mm [.05 in] Centerline, Gold, Surface Mount - Solder Ball, Signal, Mezalok HSLF



Termination Method to Printed Circuit Board	Surface Mount - Solder Ball
Mechanical Attachment	
Mating Alignment	With
Mating Alignment Type	Keyed
PCB Mount Retention	Without
PCB Mount Alignment	Without
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	1.27 mm[.05 in]
Housing Material	LCP
Dimensions	
Row-to-Row Spacing	1.27 mm[.05 in]
Stack Height	18 mm[.709 in]
Usage Conditions	
Operating Temperature Range	-55 – 125 °C[-67 – 257 °F]
Operation/Application	
Circuit Application	Signal

Industry Standards

UL Flammability Rating	UL 94V-0
OL Hammability Rating	0L /4V-0
Packaging Features	
Packaging Method	Tape & Reel
Product Compliance	
For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Not Yet Reviewed
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JAN 2024
	(240) Candidate List Declared Against: JAN 2024
	(240)
	Does not contain REACH SVHC
Halogen Content	Not Yet Reviewed for halogen content

1-2355827-0

PCB Mount Receptacle, Vertical, Board-to-Board, 320 Position, 1.27 mm [.05 in] Centerline, Gold, Surface Mount - Solder Ball, Signal, Mezalok HSLF



Solder Process Capability

Not reviewed for solder process capability


Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-onreach

Compatible Parts



Also in the Series | Mezalok HSLF



PCB Headers & Receptacles(21)

Customers Also Bought



1-2355827-0

PCB Mount Receptacle, Vertical, Board-to-Board, 320 Position, 1.27 mm [.05 in] Centerline, Gold, Surface Mount - Solder Ball, Signal, Mezalok HSLF





Documents

Product Drawings

Mezalok, LF SKT, 320 p, 18 mm, 50 Au, LF

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1-2355827-0_1.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1-2355827-0_1.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1-2355827-0_1.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

English

Product Specification

English