

MHV Connector Plug, Male Pin Non-Constant Free Hanging (In-Line) Solder

RoHS Compliant

FEATURES

- MHV Plug
- 50 Ohms
- RG-59, 62



Stock No.: 9200859C0134

Product Description


MHV connector has a robust center contact and outer conductor interface. MHV connectors generally work up to 300 MHz and are a cost-effective way of insuring a highly dependable RF Coaxial connection.

General Specifications

Attribute	Value
Connector Style	MHV
Gender	Male
Impedance	50Ω
Mounting Type	Free Hanging (In-Line)
Frequency Range	300 MHz
Body Orientation	Straight
Polarity	Normal
Contact Plating	Gold
Body Plating	Nickel
Contact Material	Brass
Voltage Rating	5 KV
Temperature Range	-65°C ~ 85°C



Product Drawing






--.500 [12.70]

"SOLDER ONLY"

RECOMMENDED CRIMP DIE: .255"



RECOMMENDED STRIPPING DIMENSIONS

SPECIFICATIONS:

IMPEDANCE: Non-Constant
WORKING VOLTAGE: 5K V rms © sea level
TEMPERATURE RANGE: -65°C TO 85°C
INSULATION RESISTANCE: 5k M Ohms min.
FOR RG-59, 59A, 59B, 62, 62A, 62C/U; ALPHA 9059, 9062,
9830, 9840, 9845; BELDEN 8221, 8241, 9169, 9204,
9228; CANARE LV-61S; CommScope 5555, 5560, 5563

Dimensions: Millimeters (Inches)

Part Number Table

Part Number	Description
9200859C0134	MHV Connector Plug, Male Pin Non-Constant Free Hanging (In-Line) Solder

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of Ease Electronics Co., Limited 2019.