

SMA Connector Receptacle, Female Socket 50 Ohms Through Hole Solder

**RoHS
Compliant**

Stock No.: L029CT4495

FEATURES

- SMA Female
- Through Hole Solder
- Gold-plated




Product Description

This RF connector has a through hole connector mount interface and is designed for a wide variety of Printed-Circuit Board (PCB) applications in RF and microwave systems. This SMA female connector uses solder as an attachment method.

General Specifications

Attribute	Value
Connector Style	SMA
Gender	Female
Impedance	50Ω
Mounting Type	Through Hole
Frequency Range	0-18 GHz
Body Orientation	Straight
Polarity	Normal
Contact Plating	Gold
Body Plating	Gold
Contact Material	Beryllium Copper
Voltage Rating	335 Volts Peak
Temperature Range	-55°C ~ 165°C

Product Drawing



NOTES:

1. ALL SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE.
2. CONNECTOR TO MEET OR EXCEED ALL SPECIFICATIONS PER MIL-PRF-39012
3. MATING DIMENSIONS IN ACCORDANCE WITH MIL-STD-348.
4. FREQUENCY RANGE SPECIFICATIONS ARE FOR REFERENCE AND ARE DEPENDENT ON APPLICATION SPECIFIC CONDITION.
5. MATERIAL:
 - BODY: BRASS, GOLD PLATED
 - CENTER CONTACT: BeCu, GOLD PLATED
 - DIELECTRIC: PTFE
6. ELECTRICAL:
 - IMPEDANCE: 50 Ω
 - FREQUENCY: DC - 18 GHz
 - WORKING VOLTAGE: 335 Vrms
 - INSULATION RESISTANCE: 5,000 M Ω
 - DIELECTRIC WITHSTAND VOLTAGE: 1,000 Vrms
7. MECHANICAL:
 - RECOMMENDED TORQUE: 0.3 Nm TO 0.6 Nm
 - TEMPERATURE RANGE: -55 C TO +165 C
8. RoHS AND REACH COMPLIANT.

Dimensions: Millimeters (Inches)

Part Number Table

Part Number	Description
L029CT4495	SMA Connector Receptacle, Female Socket 50 Ohms Through Hole Solder

Important Notice: This data sheet and its contents (the "Information") belong to the members of the EASE group of companies (the "Group") or are licensed to it. No license is granted for the use of it other than for information purposes in connection with the products to which it relates. No license of any intellectual property rights is granted. The Information is subject to change without notice and replaces all data sheets previously supplied. The Information supplied is believed to be accurate, but the Group assumes no responsibility for its accuracy or completeness, any error in or omission from it or for any use made of it. Users of this data sheet should check for themselves the Information and the suitability of the products for their purpose and not make any assumptions based on information included or omitted. Liability for loss or damage resulting from any reliance on the Information or use of it (including liability resulting from negligence or where the Group was aware of the possibility of such loss or damage arising) is excluded. This will not operate to limit or restrict the Group's liability for death or personal injury resulting from its negligence. EASE is the registered trademark of EASE Electronics Co., Limited 2019.