HellermannTyton

Specification Sheet

Part Number: TT822OUTSM

Clean Start ribbons prolong printhead life, while reducing maintenance costs.

Ribbons are resin based for the best print durability.

Ribbons are available to fit all HellermannTyton printers for easy resupply.

Ribbons meet UL recognition and Military standard where applicable to meet specific industry label requirements.



Clean Start Thermal Transfer Ribbon, Hard Resin, 4.33" x 242', 0.5" Core, PET, Black, 1/pkg

Article Number 556-00145

Type TT822OUTSM

Color Black (BK)

Quantity Per EA

Product Description HellermannTyton Clean Start thermal transfer ribbons incorporate an

innovative, patented printhead cleaner built right into the ribbon. Clean Start ribbon removes debris before it builds up on the printhead, extending printer life. Available on 1/2" and 1" cores, the ribbons are coated side out and available in two different lengths. All ribbons are available in a variety of colors and are matched to the HellermannTyton

label stock to give the best chemical and abrasion resistance.

Short Description Clean Start Thermal Transfer Ribbon, Hard Resin, 4.33" x 242', 0.5"

Core, PET, Black, 1/pkg

Global Part Name

TT822OUTSM-PET-BK

Length L (Imperial)

242.0

Length L (Metric)

74

Variant

Colored ribbon

Width W (Imperial)

4.33

Width W (Metric)

110.0

Material

Polyester Film (PET)

Material Shortcut

PET

Halogen Free

No

UV Resistant (Yes/No)

No

Operating Temperature

+40°F to +300°F (+4°C to +82°C)

Reach Compliant (Article 33)

Yes

ROHS Compliant

Yes

Customs Number	370244	0160		
About HellermannTyton				
HellermannTyton is a global manufacturer of electrical, construction, industrial automation to product design, sustainability, production, customers. HellermannTyton operates in 39 (www.hellermann.tyton.com).	n, broadba quality as	and and other OEM market ssurance and delivery is op	s. The company timized to benef	s integrated approach it local and global
© 2024 HellermannTyton. All Rights Rese	rved			
-	act Us	RoHS/WEEE Compliance	Disclaimer	Terms and Conditions

1

Package Quantity (Metric)